

<div style="border: 1px dashed black; padding: 5px; display: inline-block;"> Your Logo Here </div>	Client: Demo Client	BORING LOG
	Project: Test Retail Center	Boring No. B-1
	Address: One Million Hollywood Boulevard, Los Angeles, CA	Page: 1 of 1

Drilling Start Date:	Boring Depth (ft): 20.0
Drilling End Date:	Boring Diameter (in): 10.00
Drilling Company: Drilling Co.	Sampling Method(s): Core Barrel, Split Spoon
Drilling Method: Hollow Stem Auger	DTW During Drilling (ft): 7.1
Drilling Equipment: Geoprobe 7822DT	DTW After Drilling (ft): 9.2
Driller: M. Driller	Ground Surface Elev. (ft): 98.20
Logged By: L. Ogger	Location (Lat, Long): 33.78281, -118.2622

DEPTH (ft)	WATER LEVEL	COLLECT		SOIL/ROCK VISUAL DESCRIPTION	MEASURE		ELEVATION (ft)
		Sample Type	Recovery (ft)		PID (ppm)	Lab Sample	
0				(0') Asphalt: w/base gravel			
				(0.75') Silty GRAVEL (GM); fine-coarse grained, trace fine-medium sand, some silt, poorly graded, loose, dry, light gray (2.5Y 7/1)	0.0		95
5		SS	1.50	(5') Lean CLAY with sand (CL); some fine-medium sand, trace silt, medium plasticity, stiff, moist, light olive brown (2.5Y 5/4)	7.5	S-5	90
10		SS	1.00	(10') SILT (ML); trace fine sand, trace clay, low plasticity, hard, wet, dark gray, slight odor	15.0	S-10	85
15		SS	1.00	(15') ORGANIC SOIL (OL); trace silt, medium plasticity, hard, saturated, gray, odor	11.0		80
		CO	1.50	(16.5') IGN ROCK (DIORITE); fine grained, massive, fresh, very hard, slightly fractured, dark gray (N 4), moist			
20				(19.5') Boring terminated @20' bgs			

NOTES: Hole precleared to 5.0' by Borehole Clear Co. using hand auger.