BORING LOG Project Name: gINT Example							U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION CENTRAL FEDERAL LANDS HIGHWAY DIVISION				
							Boring No. 9-00-997 Date: July 2002 Sheet 1 of 1				
Boring Location: STA 9+250.2, 2.1 m RT							Type of Boring: HQWL Core				
Coordinates: N 1011.1 E 1033							Casing Used: HQWL Size: HQ3				
Drill: ACME Z-999 (trac) Driller: AAAAA Drilling, Inc.							Boring Began: 02/7/12 Completed: 02/7/13				
Field Logged By: A. Bore							Ground Elev: 1567.1 m MSL Weather: Sunny, breezy				
Revisions/Final By: Y. Me							Water Depth:	2.4m	2.1m 1.8m		
				Length			Date:	7/12/02	7/13/02	7/13/02	
d N	Depth	: Loc	U.S.C.S.	Recov. meters % Rec.	RQD	SPT Blows per 150 mm	Time:	17:00	07:00	11:20	
Run/Samp No.	Elevation (meters)	Graphic Log						Density, Color, Typ			
RUN 1	- 1–						0.00 - 2.50 m SILTY SAND, GRAVEL AND COBBLE-SIZE ROCK FRAGMENTS RUN 1 Drove casing to 1.50 m through silty sand and gravel.				
RCH 1	2-			0.150 50%	0		RCH 1 Rec. 150 mm of gravel and cobble-size rock fragments. 2 minute run.				
SPT #1			SM	0.400 89%		10/33/50	Drilling stopped after this run for 2 hrs to repair hydraulic line. SPT #1 Rec. 400 mm of light brown silty sand and gravel, dry.				
	1564.6	B					RCH 2 Rec. 4	00 mm of DG to p	redominantly DG.	9 minute run.	
RCH 2	1564.6 3-	1777777		0.400 38%	5		2.50 - 6.00 m	DG TO PREDOM	IINANTLY DG		
SPT		×7.7	SM	0.100		50-125	SPT #2 Rec.	100 mm of DG.			
#2	-			40%		00 120	RCH 3 Rec. 9	RCH 3 Rec. 980 mm of fractured PDG. 111/2 minute run.			
RCH 3	4—	127 27 27 27 72 124 124 124 124 1		0.980 78%	10						
RCH 4	5	12441244444444444444444444444444444444		1.030 86%	15		RCH 4 Rec. 1	al (10 blows for no 030 mm of PDG.			
	7507.7 6- - 7-	-					BHT at 6.00 n	n			